EAST

L Number	Hits	Search Text	DB	Time stamp
1	1207	partition with (mov$4 or relocat$4) with system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 09:41
2	29	partition with (mov$4 or relocat$4) with system same problem	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 10:49
7	56	data near3 availability with (mov$4 or relocat$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 10:15
8	0	data near3 availability with (mov$4 or relocat$4) with partition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 10:15
10	4	data near3 availability with (mov$4 or relocat$4) same partition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 10:18
11	4	data near3 availability same (mov$4 or relocat$4) same partition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 10:18
12	3	data near3 availability same buffer same partition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 10:19
13	3	data near3 availability same ((free or emtpy or open) adj space) same partition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 10:23
14	21	data near3 availability same (((free or emtpy or open or blank) adj space) or gap) same storage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 10:29
16	5	data near3 availability same (((free or emtpy or open or blank) adj space) or gap) with (incorporat$4 or allocat$4 or defin$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 10:30
17	18	data near3 availability same (buffer) with (incorporat$4 or allocat$4 or defin$4 or creat$4) with (partition or memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 10:43
18	30	data near3 availability with (incorporat$4 or allocat$4 or defin$4 or creat$4) with (partition or memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 10:46

20	21	storage same partition same buffer same problem	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 10:47
21	1	partition with (mov$4 or relocat$4) same problem same data near3 availability	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 10:56
22	157	(memory or storage) with partition$2 same (((free or empty or open or blank) adj space) or gap or buffer) same availab$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 11:08
23	113	((memory or storage) with partition$2 same (((free or empty or open or blank) adj space) or gap or buffer) same availab$5) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 11:08
24	55	(storage) with partition$2 same (((free or empty or open or blank) adj space) or gap or buffer) same availab$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 11:08
25	32	((storage) with partition$2 same (((free or empty or open or blank) adj space) or gap or buffer) same availab$5) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 11:09
26	0	partition same continuous adj availability	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 11:10
27	50	storage same continuous adj availability	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 11:10
28	2	storage same continuous adj availability and partition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 11:10
-	59	((709/201-203).CCLS.) and (network adj interface) same (request near4 process$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 16:33
-	25	(((709/201-203).CCLS.) and (network adj interface) same (request near4 process$4)) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 16:31
-	1	((709/201-203).CCLS.) and (network adj interface) same (request near4 process$4) same (request near4 type)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 16:38
-	2	((709/201-203).CCLS.) and (network adj interface) same (request near4 process$4) and (request near4 type) with determin$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 16:39

-	160	(identify with request) same (handle or process) with type	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 09:48
-	92	((identify with request) same (handle or process) with type) and @ad<20000731	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 09:48
-	92	((identify with request) same (handle or process) with type) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 09:50
-	137	network adj interface same switch same (processor or handler) same storage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 09:51
-	48	(network adj interface same switch same (processor or handler) same storage) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 10:58
-	0	(network adj interface same switch same (processor or handler) same storage) and @ad<20000815 and request adj distribut$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 09:53
-	3	((network adj interface same switch same (processor or handler) same storage) and @ad<20000815) and ((load adj balancing) or (workload near3 distribut$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 10:05
-	6	((709/201-203).CCLS.) and (load adj balancing) same (analyz$4 with (request or packet))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 10:12
-	2	web adj server with load adj balancing same switch same request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 10:48
-	35	web adj server same (workload or load adj balancing) same switch same request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 10:56
-	3	(web adj server same (workload or load adj balancing) same switch same request) and packet adj classifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 10:57
-	3	packet adj classifier same ((load adj balancing) or (workload near3 distribut$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 11:19
-	173	packet adj classifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 10:58

-		76	(packet adj classifier) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 10:58
-		0	request near2 classif$5 same ((load adj balancing) or (workload near3 distribut$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 11:19
-		93	straddl$3 near2 partition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 14:07
-		0	straddl$3 near2 partition same memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 14:09
-		25	network same request near3 delegat$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 14:55
-		98	network same request near3 distribut$4 with (type or specific or specialized or kind)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 14:56
-		43	(network same request near3 distribut$4 with (type or specific or specialized or kind)) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 14:56
-		152	server with load$1balancing same (distribut$4 or determin$3 or delegat$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 15:26
-		30	(server with load$1balancing same (distribut$4 or determin$3 or delegat$4)) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 15:23
-		3	server with load$1balancing same (new adj (request or query))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 15:27
-		2	server with load$1balancing same ((identif$3 or determin$4 or allocat$4) near4 new)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 15:31
-		6	load$1balancing same ((identif$3 or determin$4 or allocat$4) near4 new)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 15:30
-		6	load$1balancing same ((identif$4 or determin$4 or allocat$4) near4 new)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 15:31

-	10	((identif$3 or determin$4 or allocat$4) near4 new adj requests) and load$1balancing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 15:48
-	166	subsequent adj request with (rout$3 or forward$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 16:38
-	96	(subsequent adj request with (rout$3 or forward$3)) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 16:38
-	74	subsequent adj request with (rout$3 or forward$3) same (processor or server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 16:38
-	38	(subsequent adj request with (rout$3 or forward$3) same (processor or server)) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 16:50
-	1	distributed adj processing with client adj requests	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 16:56
-	50	(network adj interface adj card) same (distribut$3) with (workload or processing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 17:02
-	17	((network adj interface adj card) same (distribut$3) with (workload or processing)) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 16:58
-	2	request near4 (dispatch$4 or distribut$4) same (type or specialized) same load$1balanc$4 and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 17:23
-	17	request near4 (dispatch$4 or distribut$4) same (type or specialized) and load$1balanc$4 and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 17:28
-	10	request near4 (dispatch$4 or distribut$4) same (type or specialized) same (further or subsequent)and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 17:31
-	1	dynamically adj routing adj web adj requests	IBM_TDB	2003/10/30 17:32
-	0	process$2 with (workload) near3 distribut$4 same (request or task or query)with type same (subsequent or further or next)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 09:13

-		3	process$2 with load near3 distribut$4 same (request or task or query)with type same (subsequent or further or next)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 10:13
-		29	process$2 with load near3 distribut$4 same (request or task or query)with type	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 09:25
-		13	load near3 distribut$4 same (request or task or query)with type same (subsequent or further or next)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 09:25
-		10	(load near3 distribut$4 same (request or task or query)with type same (subsequent or further or next)) not (process$2 with load near3 distribut$4 same (request or task or query)with type)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 09:26
-		5	process$2 with load near3 distribut$4 same (request or task or query)with (capabilit$3 or facilit$3 or servic$3) same (subsequent or further or next)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 10:21
-		43	load adj (balanc$4 or distribut$4) same determines with request with (new or associated or designated)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 10:23
-		15	(load adj (balanc$4 or distribut$4) same determines with request with (new or associated or designated)) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 10:58
-		28	determines with request with (new or associated or designated) same (subsequent adj requests)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 10:50
-		176	determines with request with (new or associated or designated) same (distribut$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 10:52
-		33	determines near5 request near4 (new or associated or designated) same (distribut$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 10:58
-		27	determines near5 (query or task) near4 (new or associated or designated) same (distribut$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 10:58
-		17	(determines near5 (query or task) near4 (new or associated or designated) same (distribut$3)) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 11:02
-		117	(request or task) near4 (new or associated or designated) same (distribut$3) same identified	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 11:03

-	50	((request or task) near4 (new or associated or designated) same (distribut$3) same identified) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 11:05
-	147	(request or task) near4 (new or associated or designated) same (sent or forward$2 or rout$2) with (processor or server) near2 (assigned or associated or designated or identified)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 11:05
-	82	((request or task) near4 (new or associated or designated) same (sent or forward$2 or rout$2) with (processor or server) near2 (assigned or associated or designated or identified)) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 11:28
-	16	((((709/102-106).CCLS.) and network with requests) and @ad<20000815) and (requests near2 assigned or delegated or designated) and (default adj processor or handler)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 11:32
-	127	((((709/102-106).CCLS.) and network with requests) and @ad<20000815) and (requests near2 assigned or delegated or designated)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 11:32
-	0	((((709/102-106).CCLS.) and network with requests) and @ad<20000815) and (requests near2 assigned or delegated or designated) and (default adj (processor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 11:32
-	36	((((709/102-106).CCLS.) and network with requests) and @ad<20000815) and (requests near2 assigned or delegated or designated) and (default)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 11:34
-	50	((((709/102-106).CCLS.) and network with requests) and @ad<20000815) and (requests near2 assigned or delegated or designated) same (type or capabil$5 or function)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 11:35
-	12	((((709/102-106).CCLS.) and network with requests) and @ad<20000815) and (requests near2(assigned or delegated or designated)) same (type or capabil$5 or function)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/31 11:35
-	37	version near4 partitions same memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:17
-	15	(version near4 partitions same memory) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:14
-	0	(version near4 partitions same memory) and straddle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:05
-	88	stradd$4 near4 memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:12

-	137	stradd$4 near4 partition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:06
-	0	stradd$4 adj2 partition same memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:06
-	3	stradd$4 adj2 partition and memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:06
-	76	(stradd$4 near4 memory) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:33
-	0	((version near4 partitions same memory) and @ad<20000815) and ((stradd$4 near4 memory) and @ad<20000815)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:09
-	0	((stradd$4 near4 memory) and @ad<20000815) and vearsion near4 partition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:10
-	0	stradd$4 near4 memory same continuous adj availability	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:37
-	1	((version near4 partitions same memory) and @ad<20000815) and ATM and TCP	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:12
-	162	arrange$5 with memory with version	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:14
-	105	(arrange$5 with memory with version) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:14
-	0	((arrange$5 with memory with version) and @ad<20000815) and ATM and TCP$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:14
-	2	((arrange$5 with memory with version) and @ad<20000815) and ATM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:33
-	42	gap with partition same availab$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:33

-	39	(gap with partition same availab$4) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:38
-	1	straddle near2 gap same partition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:38
-	193	straddle near2 gap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:38
-	33	straddle near2 gap same (disk or drive or storage or memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:38
-	26	(straddle near2 gap same (disk or drive or storage or memory)) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:55
-	0	file adj offset with (straddle or gap) same (partition or memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:40
-	0	file adj offset with (straddle or gap)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:40
-	141	offset with (straddle or gap) same (partition or memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:41
-	0	file with offset with (straddle or gap) same (partition or memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:41
-	87	defragment$5 and (straddle or gap)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 10:56
-	33	(defragment$5 and (straddle or gap)) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:13
-	4	defragment$5 with (straddle or gap)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:00
-	0	defragment$5 same (built with (gap or open))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:01

-	4	defragment$5 same (coalescing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:02
-	107	partition near2 includ$4 with (gap)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:03
-	0	partition near2 includ$4 with (gap) with built	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:03
-	0	partition near2 includ$4 with (free or open or gap or empty) with built	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:04
-	2	partition near2 includ$4 with (free or open or gap or empty) and (defragment$5 or coalesc$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:13
-	56	facilitat$4 with (defragment$5 or coalesc$3) same (gap or empty or free or open)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:14
-	45	(facilitat$4 with (defragment$5 or coalesc$3) same (gap or empty or free or open)) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:13
-	1	facilitat$4 with (defragment$5 or coalesc$3) same (gap or empty or free or open) same (memory or storage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:16
-	3	facilitat$4 with (defragment$5) same (gap or empty or free or open)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:15
-	219	(defragment$5 or coalesc$3) same (gap or empty or free or open) same (memory or storage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:16
-	0	version adj controlled adj partitions	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:17
-	0	version adj controlled with partitions	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 15:24
-	87	storage adj server adj system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:19

-	7	(storage adj server adj system) and partition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:24
-	0	storage same contiguous same partition same version adj control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:25
-	0	storage same contiguous same partition same coalescing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:25
-	1	storage same contiguous same partition same defragmenting	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:31
-	1	partition with relocat$4 same continuous	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/04 09:40
-	6	partition with relocat$4 same contiguous	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:32
-	6	partition with relocat$4 same (free adj space)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:35
-	0	partition same (incorporating with free adj space)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:35
-	66	incorporating with free adj space	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:35
-	4	incorporating with free adj space same (memory or storage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:46
-	3	file adj status with bitmap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:47
-	6	file adj status same bitmap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:51
-	0	creator with deleter same bitmap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:51

-	46	file near3 state same bitmap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 11:51
-	14	file near3 state with bitmap	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:07
-	17	ATM same TCP same CGI and distributed same server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:09
-	0	ATM same TCP same CGI and distributed adj processing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:10
-	59	ATM and TCP and CGI and distributed adj processing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:17
-	56	(ATM and TCP and CGI and distributed adj processing) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:17
-	48	((ATM and TCP and CGI and distributed adj processing) and @ad<20000815) and (workload or load$1balanc$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:14
-	42	ATM and TCP and CGI and load$1balancing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:19
-	37	(ATM and TCP and CGI and load$1balancing) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:23
-	1	ATM and TCP and CGI and multiprocessor adj server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:20
-	4	ATM and TCP and CGI and multiprocessor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:22
-	91	ATM and TCP and CGI and file adj server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:32
-	73	(ATM and TCP and CGI and file adj server) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:32

-	68	ATM and TCP and CGI and distribution same request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:38
-	56	(ATM and TCP and CGI and distribution same request) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:39
-	0	ATM and TCP and CGI and load adj distributiont	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:38
-	6	ATM and TCP and CGI and load adj distribution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:39
-	63	ATM and TCP and CGI and handle adj requests	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:39
-	52	(ATM and TCP and CGI and handle adj requests) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:54
-	27	data adj storage same version adj control	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:53
-	0	version adj control and partition and defragmenting	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:54
-	74	version adj control and partition and data adj storage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 13:54
-	53	(version adj control and partition and data adj storage) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:07
-	0	URL with directly with translated with location	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 14:07
-	7	URL with direct with translation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 15:14
-	31	partition with access adj rights	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 15:14

-	24	(partition with access adj rights) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 15:47
-	0	version adj controlled same partitions	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 15:24
-	8	version adj control same partitions	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 15:27
-	0	gap adj2 incorporated adj2 partition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 15:27
-	0	gap adj2 incorporated adj2 memory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 15:28
-	1	(free or open or empty) adj2 space adj2 incorporated adj2 (partition or memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 15:35
-	10	relocate with partition same storage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 15:35
-	0	continuous with stored adj data same partition	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 15:45
-	3	continuous adj access with stored adj data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 15:47
-	24	partition same migration same access$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 16:20
-	13	(partition same migration same access$4) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 15:47
-	4	partition same migration same incorporating	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 16:20
-	33	partition same migration same problem	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 17:33

-	5	ATM with advantage and load$1balancing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 17:34
-	152	ATM and TCP and load$1balancing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 17:38
-	74	(ATM and TCP and load$1balancing) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 17:40
-	1	ATM and TCP and load$1distribution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 17:39
-	0	ATM and TCP and load$1distributing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 17:39
-	168	(ATM with cell and TCP and processing with requests) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 17:42
-	32	ATM with cell and TCP and processing with requests and cgi	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 17:42
-	31	(ATM with cell and TCP and processing with requests and cgi) and @ad<20000815	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/03 17:42